

DMAP Reports - Divide Section WMA - 2020

NRIS ID 6653 DMAP ID 7150

BIOLOGIST NathanB COUNTY Tishomingo County, MS

ACRES 15300 YEARS ON DMAP 29 SOIL REGION Upper Coastal Plain

HARVEST SUMMARY

	Recommended Harvest	Number Harvested	Acres/Deer Harvested	% Data Collected
Bucks	0 - 0	19	805	95
Does	0 - 0	17	900	100
Totals		36	425	97

HARVEST HISTORY

	Region Avg	2020	2019	2018	2017	2016	2015	2014	2013
Acres	329229	15300	15300	15300	15300	15300	15300	15300	15300
Total Deer	2014.2	36	21	26	16	15	12	12	16
Bucks	866.2	19	7	10	9	8	5	8	8
Does	1148.0	17	14	16	7	7	7	4	8
Acres/Deer	163	425	728	588	956	1020	1275	1275	956
Bucks	380	805	2185	1530	1700	1912	3060	1912	1912
Does	286	900	1092	956	2185	2185	2185	3825	1912


DOE HARVEST HISTORY

	Region Avg	2020	2019	2018	2017	2016	2015	2014	2013
Does	1148.0	17	14	16	7	7	7	4	8
Acres/Doe	290.4	900	1092	956	2185	2185	2185	3825	1912
% .5 Does	9.8	5	N/A	6	14	14	N/A	N/A	25
# .5 Does	116.8	1	0	1	1	1	0	0	2
Avg Weight	59.0	52	N/A	51	75	0	N/A	N/A	52
% 1.5 Does	18.4	17	42	6	14	14	14	N/A	N/A
# 1.5 Does	217.0	3	6	1	1	1	1	0	0
Avg Weight	86.4	89	78	91	100	72	84	N/A	N/A
% 2.5 Does	16.0	35	14	56	14	N/A	42	25	12
# 2.5 Does	188.2	6	2	9	1	0	3	1	1
Avg Weight	96.0	97	88	87	85	N/A	116	100	122
% 3.5+ Does	50.6	41	14	18	57	71	28	75	62
# 3.5+ Does	586.6	7	2	3	4	5	2	3	5
Avg Weight	103.4	90	95	113	104	116	53	102	95
% Lactation	N/A	-							
1.5	10.0	0	0	0	0	0	0	N/A	N/A
2.5	47.6	50	100	33	100	N/A	66	0	100
2.5+	56.4	69	75	33	60	0	60	0	33
3.5+	59.6	85	50	33	50	0	50	0	20

DOE WEIGHTS WITH HARVEST




Click series in legend to toggle visibility.



DOE AGE STRUCTURE IN RELATION TO HARVEST AND LACTATION RATES




Click series in legend to toggle visibility.



DOE LIVE WEIGHTS




Click series in legend to toggle visibility.




BUCK HARVEST HISTORY

	<i>Region</i>	<i>Avg</i>	2020	2019	2018	2017	2016	2015	2014	2013
Bucks	866.2	9.6	19	7	10	9	8	5	8	8
Acres/Buck	381.2	3327.4	805	2185	1530	1700	1912	3060	1912	1912
% .5 Bucks	5.0	21.0	5	N/A	N/A	N/A	N/A	N/A	N/A	12
# .5 Bucks	49.0	2.8	1	0	0	0	0	0	0	1
Avg Weight	59.6	53.1	63	N/A	N/A	N/A	N/A	N/A	N/A	59
% 1.5 Bucks	11.6	25.7	N/A	14	10	N/A	N/A	N/A	12	12
# 1.5 Bucks	105.4	3.6	0	1	1	0	0	0	1	1
% Spikes	63.6	68.5	N/A	0	100	N/A	N/A	N/A	100	100
Avg Weight	98.4	110.4	N/A	86	122	N/A	N/A	N/A	105	109
Avg Points	2.6	3.5	N/A	4.0	2.0	N/A	N/A	N/A	2.0	0.0
Avg Base	1.5	2.2	N/A	0.0	2.1	N/A	N/A	N/A	0.0	1.6
Avg Length	4.7	8.1	N/A	8.0	8.4	N/A	N/A	N/A	0.0	7.3
Avg Spread	5.0	6.5	N/A	7.0	8.0	N/A	N/A	N/A	0.0	0.0
% 2.5 Bucks	18.8	32.4	10	14	30	11	37	N/A	N/A	N/A
# 2.5 Bucks	167.8	2.7	2	1	3	1	3	0	0	0
Avg Weight	134.4	146.9	132	127	158	93	151	N/A	N/A	N/A
Avg Points	6.4	6.1	5.5	6.0	6.0	4.0	4.7	N/A	N/A	N/A
Avg Base	3.1	3.2	2.8	2.9	3.3	2.0	2.2	N/A	N/A	N/A
Avg Length	13.6	14.6	14.9	14.4	16.0	14.8	10.1	N/A	N/A	N/A
Avg Spread	11.1	12.2	12.5	11.5	13.5	13.8	8.5	N/A	N/A	N/A
% 3.5 Bucks	27.6	23.7	42	42	10	33	12	20	12	25
# 3.5 Bucks	244.8	1.9	8	3	1	3	1	1	1	2
Avg Weight	147.2	157.3	137	171	125	171	140	160	141	153
Avg Points	7.3	7.3	7.1	8.0	8.0	7.7	7.0	7.0	8.0	6.0
Avg Base	3.7	3.6	3.2	3.0	0.0	3.6	4.3	3.6	2.5	3.6
Avg Length	15.7	17.9	16.8	18.0	18.0	19.6	15.9	20.3	15.5	15.3
Avg Spread	12.8	13.8	14.3	14.3	14.0	14.4	13.3	15.5	12.5	12.5
% 4.5+ Bucks	29.0	35.1	42	14	30	44	50	40	50	50
# 4.5+ Bucks	256.2	2.8	8	1	3	4	4	2	4	4
Avg Weight	160.8	163.3	166	137	156	160	206	164	147	144
Avg Points	8.0	8.2	8.6	7.0	7.7	10.5	7.3	8.5	7.5	6.0
Avg Base	4.2	3.9	4.3	3.1	4.4	4.2	3.7	4.4	3.4	1.9
Avg Length	17.8	18.0	20.6	12.9	20.1	21.0	16.1	21.4	15.4	8.7
Avg Spread	14.4	15.0	16.1	13.0	17.4	16.0	13.5	14.9	12.6	10.7

Click series in legend to toggle visibility.



% BUCKS BY AGE CLASS



MAIN BEAM LENGTHS BY AGE

Estimated Non-typical B&C Score				
Age	Num	At Harvest	At Maturity (Min)	At Maturity (Max)
2.5	2	79 2/8	107 1/8	128 7/8
3.5	8	97 3/8	111 7/8	124
4.5	5	119 1/8	122 7/8	130 2/8
5.5+	3	136	136	136

