

DMAP Reports - Chickasaw WMA - 2020

NRIS ID 6993 DMAP ID 9103

BIOLOGIST NathanB COUNTY Chickasaw County, MS

ACRES 28000 YEARS ON DMAP 30 SOIL REGION Upper Coastal Plain

HARVEST SUMMARY



	Recommended Harvest	Number Harvested	Acres/Deer Harvested	% Data Collected
Bucks	0 - 0	16	1750	100
Does	0 - 0	5	5600	100
Totals		21	1333	100


HARVEST HISTORY

	Region Avg	2020	2019	2018	2017	2016	2015	2014	2013
Acres	329229 28000	28000	28000	28000	28000	28000	28000	28000	28000
Total Deer	2014.2 80	21	36	41	38	88	71	66	72
Bucks	866.2 39	16	29	40	36	41	34	36	31
Does	1148.0 41	5	7	1	2	47	37	30	41
Acres/Deer	163 346	1333	777	682	736	318	394	424	388
Bucks	380 716	1750	965	700	777	682	823	777	903
Does	286 670	5600	4000	28000	14000	595	756	933	682


DOE HARVEST HISTORY

	Region Avg	2020	2019	2018	2017	2016	2015	2014	2013
Does	1148.0 41.7	5	7	1	2	47	37	30	41
Acres/Doe	290.4 2488.4	5600	4000	28000	14000	595	756	933	682
% .5 Does	9.8 13.2	N/A	N/A	N/A	N/A	8	10	13	9
# .5 Does	116.8 9.1	0	0	0	0	4	4	4	4
Avg Weight	59.0 49.3	N/A	N/A	N/A	N/A	55	61	63	48
% 1.5 Does	18.4 20.3	20	N/A	N/A	50	29	40	33	29
# 1.5 Does	217.0 8.9	1	0	0	1	14	15	10	12
Avg Weight	86.4 80.5	85	N/A	N/A	75	80	91	87	80
% 2.5 Does	16.0 24.0	40	14	N/A	N/A	23	10	30	14
# 2.5 Does	188.2 10.0	2	1	0	0	11	4	9	6
Avg Weight	96.0 92.7	88	110	N/A	N/A	86	104	90	99
% 3.5+ Does	50.6 48.9	40	85	100	50	36	37	23	46
# 3.5+ Does	586.6 18.8	2	6	1	1	17	14	7	19
Avg Weight	103.4 98.9	110	88	105	96	96	94	98	100
% Lactation	N/A	-							
1.5	10.0 25.5	0	N/A	N/A	0	42	6	30	16
2.5	47.6 49.8	0	0	N/A	N/A	36	25	33	16
2.5+	56.4 60.7	50	71	100	0	42	44	43	36
3.5+	59.6 67.4	100	83	100	0	47	50	57	42


DOE WEIGHTS WITH HARVEST



DOE AGE STRUCTURE IN RELATION TO HARVEST AND LACTATION RATES



DOE LIVE WEIGHTS




BUCK HARVEST HISTORY

	<i>Region</i>	<i>Avg</i>	2020	2019	2018	2017	2016	2015	2014	2013
Bucks	866.2	39.1	16	29	40	36	41	34	36	31
Acres/Buck	381.2	966.4	1750	965	700	777	682	823	777	903
% .5 Bucks	5.0	8.6	6	N/A	N/A	N/A	2	2	5	6
# .5 Bucks	49.0	5.1	1	0	0	0	1	1	2	2
Avg Weight	59.6	55.5	60	N/A	N/A	N/A	46	45	73	49
% 1.5 Bucks	11.6	23.4	N/A	N/A	N/A	2	19	38	41	38
# 1.5 Bucks	105.4	11.4	0	0	0	1	8	13	15	12
% Spikes	63.6	45.5	N/A	N/A	N/A	0	50	30	13	25
Avg Weight	98.4	107.6	N/A	N/A	N/A	90	105	112	127	111
Avg Points	2.6	4.1	N/A	N/A	N/A	3.0	3.0	5.6	6.6	4.8
Avg Base	1.5	2.1	N/A	N/A	N/A	1.1	1.6	2.6	2.3	2.1
Avg Length	4.7	7.8	N/A	N/A	N/A	5.3	6.3	10.8	12.7	10.2
Avg Spread	5.0	6.7	N/A	N/A	N/A	8.0	6.5	9.5	10.3	8.3
% 2.5 Bucks	18.8	29.9	18	37	22	47	26	38	22	16
# 2.5 Bucks	167.8	11.6	3	11	9	17	11	13	8	5
Avg Weight	134.4	138.9	145	131	144	138	130	142	149	152
Avg Points	6.4	6.9	8.3	6.7	7.1	6.5	7.5	6.8	6.9	6.0
Avg Base	3.1	3.3	3.3	3.1	3.5	3.0	3.4	3.4	2.9	3.5
Avg Length	13.6	14.1	14.3	14.7	14.3	14.4	14.0	15.3	13.7	15.9
Avg Spread	11.1	11.2	11.4	11.3	11.5	11.3	10.9	12.0	11.3	12.3
% 3.5 Bucks	27.6	21.9	43	24	20	22	24	8	11	9
# 3.5 Bucks	244.8	7.8	7	7	8	8	10	3	4	3
Avg Weight	147.2	151.7	155	146	138	144	145	166	150	146
Avg Points	7.3	7.6	7.7	8.1	6.9	7.6	7.4	7.7	7.3	7.0
Avg Base	3.7	3.7	3.2	3.6	3.5	2.8	3.3	3.8	3.5	3.3
Avg Length	15.7	16.1	15.9	15.7	15.5	14.9	15.0	16.1	15.4	13.4
Avg Spread	12.8	13.0	13.0	12.4	12.4	12.2	11.7	13.5	12.4	12.4
% 4.5+ Bucks	29.0	22.8	31	34	50	19	26	11	19	19
# 4.5+ Bucks	256.2	7.6	5	10	20	7	11	4	7	6
Avg Weight	160.8	165.9	156	156	152	164	160	168	144	157
Avg Points	8.0	8.2	8.4	8.4	7.8	8.4	9.0	7.5	8.3	8.5
Avg Base	4.2	4.0	4.2	4.0	3.5	3.6	3.3	4.6	4.4	3.8
Avg Length	17.8	17.4	17.4	16.5	15.7	16.4	15.1	15.5	17.7	17.1
Avg Spread	14.4	13.6	12.9	13.0	12.7	13.0	13.0	12.4	13.8	13.3



% BUCKS BY AGE CLASS



Estimated Non-typical B&C Score			
Age Num		At Harvest	At Maturity (Min) At Maturity (Max)
2.5	3	82 2/8	111 1/8 133 6/8
3.5	7	91 3/8	105 116 3/8
4.5	3	104 2/8	107 4/8 114
5.5+	2	102 1/8	102 1/8 102 1/8

MAIN BEAM LENGTHS BY AGE

